



## CROWN & BRIDGE

### METAL-FREE

|                                     |         |
|-------------------------------------|---------|
| Verotek <sup>®</sup> Layered .....  | 10 days |
| Verotek Aesthetic .....             | 10 days |
| Verotek Aesthetic Modeless .....    | 10 days |
| Verotek FCZ .....                   | 10 days |
| Verotek FCZ Modeless .....          | 10 days |
| IPS e.max Monolithic .....          | 10 days |
| IPS e.max Monolithic Modeless ..... | 10 days |

### PORCELAIN TO METAL

|                  |         |
|------------------|---------|
| High Noble ..... | 12 days |
| Noble .....      | 12 days |
| Base .....       | 12 days |

### FULL METAL

|                  |        |
|------------------|--------|
| High Noble ..... | 8 days |
| Noble .....      | 8 days |
| Base .....       | 8 days |

### IMPLANT

|                             |         |
|-----------------------------|---------|
| Implant Restorations* ..... | 15 days |
|-----------------------------|---------|

### MISCELLANEOUS

|                               |         |
|-------------------------------|---------|
| Provisional Restoration ..... | 10 days |
| Diagnostic Wax-up .....       | 10 days |

## REMOVABLE

### FULL/PARTIAL DENTURES

|                            |        |
|----------------------------|--------|
| Custom Tray .....          | 3 days |
| Baseplate .....            | 3 days |
| Baseplate & Bite Rim ..... | 3 days |

### SET-UP (PER ARCH)

|                         |        |
|-------------------------|--------|
| Partial Denture .....   | 5 days |
| Full Denture .....      | 5 days |
| Immediate Denture ..... | 6 days |

### PROCESS AND FINISH

|                    |        |
|--------------------|--------|
| Conventional ..... | 5 days |
|--------------------|--------|

### MISCELLANEOUS

|                       |                     |
|-----------------------|---------------------|
| Reline-Standard ..... | 2 days              |
| Rebase .....          | 3 days              |
| Reline .....          | Same Day Additional |

### ACRYLIC PARTIALS

|                       |         |
|-----------------------|---------|
| Acrylic Partial ..... | 7+ days |
|-----------------------|---------|

### FLEXIBLE PARTIALS

|                |         |
|----------------|---------|
| DuraFlex ..... | 10 days |
|----------------|---------|

### CAST PARTIALS

|                                |         |
|--------------------------------|---------|
| Frame Only .....               | 12 days |
| Cast Frame w/ Bite Block ..... | 12 days |
| Cast Frame, Complete .....     | 12 days |

## SPECIALTY

### MOUTH GUARDS

|   |         |
|---|---------|
| Comfort H/S .....                                   | 10 days |
| Crystal Clear <sup>®</sup> (Hard Night Guard) ..... | 10 days |
| Thermo-Guard .....                                  | 10 days |
| NTI-tss Plus <sup>®</sup> .....                     | 10 days |

### SLEEP APNEA APPLIANCES

|                               |         |
|-------------------------------|---------|
| ClearDream <sup>®</sup> ..... | 15 days |
| dreamTAP .....                | 15 days |
| EMA <sup>®</sup> .....        | 15 days |
| TAP <sup>®</sup> 3 .....      | 15 days |

Timing references working days in lab; does not include day of receipt or delivery, holidays or weekends.

*Unless otherwise indicated, as referenced herein, all trademarks are the property of National Dentex, LLC. IPS e.max is a registered trademark of Ivoclar Vivadent, Inc. NTI-tss Plus is a trademark of Boyd Research, Inc. TAP 3 is a registered trademark of Airway Management Inc.*