



## CROWN & BRIDGE

### METAL-FREE

|                                       |        |
|---------------------------------------|--------|
| Verotek <sup>®</sup> Layered          | 8 days |
| Verotek Aesthetic                     | 7 days |
| Verotek Aesthetic Modeless            | 7 days |
| Verotek FCZ                           | 7 days |
| Verotek FCZ Modeless                  | 7 days |
| Lithium Discilate Layered             | 8 days |
| Lithium Discilate Monolithic          | 7 days |
| Lithium Discilate Monolithic Modeless | 7 days |
| IPS e.max <sup>®</sup>                | 7 days |

### PORCELAIN TO METAL (< 4 units)

|               |        |
|---------------|--------|
| Gold          | 8 days |
| Semi-precious | 8 days |
| Non-precious  | 8 days |

### FULL METAL

|                                |        |
|--------------------------------|--------|
| Yellow Gold                    | 5 days |
| Semi-precious (70% Ag, 25% Pd) | 5 days |

### IMPLANTS

|                      |         |
|----------------------|---------|
| Implant Restorations | 15 days |
| Screw-retained       | 15 days |

### MISCELLANEOUS

|                         |         |
|-------------------------|---------|
| Provisional Restoration | 5 days  |
| Diagnostic Wax-up       | 5+ days |

## REMOVABLE

### FULL/PARTIAL DENTURES

|                      |        |
|----------------------|--------|
| Custom Tray          | 2 days |
| Baseplate            | 2 days |
| Baseplate & Bite Rim | 2 days |

### SET-UP (PER ARCH)

|                   |        |
|-------------------|--------|
| Partial Denture   | 3 days |
| Reset Try-in      | 3 days |
| Full Denture      | 3 days |
| Immediate Denture | 3 days |

### PROCESS AND FINISH

|              |        |
|--------------|--------|
| Conventional | 3 days |
| Reset        | +1 day |
| Premium      | 3 days |

### MISCELLANEOUS

|                 |        |
|-----------------|--------|
| Reline-standard | 2 days |
| Reline-soft     | 2 days |
| Rebase          | 3 days |

### ACRYLIC PARTIALS/FLIPPER

|                 |        |
|-----------------|--------|
| Acrylic Partial | 3 days |
| With Clasps     | 4 days |

### FLEXIBLE PARTIALS

|                     |         |
|---------------------|---------|
| DuraFlex            | 5 days  |
| Nesbit              | 5 days  |
| Cast/Flexible Combo | 14 days |
| Rebase              | 3 days  |

### CAST PARTIALS

|                        |         |
|------------------------|---------|
| Frame Only             | 10 days |
| Cast Frame w/biteblock | 12 days |
| Cast Frame, complete   | 14 days |

## SPECIALTY

### MOUTH GUARDS

|                  |         |
|------------------|---------|
| Comfort H/S      | 10 days |
| Soft Mouth Guard | 2 days  |
| Sports Guard     | 2 days  |
| Thermo-Guard     | 5 days  |
| Bruxism          | 5 days  |

### SLEEP APNEA APPLIANCES

|                         |         |
|-------------------------|---------|
| ClearDream <sup>®</sup> | 10 days |
| dreamTAP <sup>®</sup>   | 10 days |
| EMA <sup>®</sup>        | 7 days  |
| TAP <sup>®</sup> 3      | 7 days  |

### HEADACHE THERAPY

|                           |        |
|---------------------------|--------|
| NTI-tss Plus <sup>®</sup> | 7 days |
|---------------------------|--------|

### ORTHODONTICS

|                  |        |
|------------------|--------|
| Hawley Retainer  | 8 days |
| Space Maintainer | 8 days |

Timing references working days in lab; does not include day of receipt or delivery, holidays or weekends.

Unless otherwise indicated, as referenced herein, all trademarks are the property of National Dentex, LLC. EMA is a registered trademark of Frantz Design, Inc. IPS e.max is a registered trademark of Ivoclar Vivadent, Inc. NTI-tss Plus is a trademark of Boyd Research, Inc. TAP 3 is a registered trademark of Airway Management Inc.